



## **ENUCM - 012**

### *Express CAM II*

Encore ENUCM-012 USB Express Cam II comes with a variety of features that is easy to use, including cool video effects such as 9 Loveable Frames and 17 Styled Effects. Installation is quick and easy using the Plug-n-Play feature.

Very flexible, the main unit is apart from the base. You can detach the camera from the magnetic stand clip and take video around you. With the help of the snap-shot button on top of the unit you can take a crisp 1.3 Mega Pixels still pictures around you as far as the USB cable could reach. When finish simply put back on top of the stand and it will hold back to the magnetic stand.

The ENUCM-012 Express Cam II is compatible with MSN Messenger, Skype and NetMeeting. With the built-in Microphone you can enjoy recording an audio and video taken from your ENUCM-012 Express Cam II.

## Features and Benefits

- 1.3 Mega pixel COMS
- 7.5 Mega interpolated
- 7.5 Mega Pixel still capture
- Snap-shot button
- Built-in Microphone
- Real-Time Effects
- Built-in 9 Lovable frames and 17 special effects
- Define lovable frame by yourself
- Magnetic attraction mechanics design

## Specification

Interface	USB 2.0 and 1.1 compliant
Optical Sensor	¼" CMOS, 1300K Pixels CMOS
Photo resolution / Video Capture	Up to 7.5 Mega Pixels (Interpolated) 3200x2400, 2560x1920, 1600x1200, 1280x1024, 800 x 600, 640 x 480, 352 x 288, 320 x 240, 176 x 144, 160 x 120
Microphone	Built-in
Transmission	30 fps (320x240)
Camera Function	Effect Library, 4x Digital Zoom, Face Tracer, Adjustable Manual Focus, Auto White Balance, Auto Exposure Control, Image Auto compensate, Snap-Shot
Focus Distance	3 cm to infinity
Video Digital Format	24 bits, True Color
USB Cable Length	120 cm
Operating Systems	Windows 2000, XP, Vista & 7
Housing Material	Plastic (ABS)
Size (Lx W x H)	82 x 20 x 46 mm
weight	65g (USB cable included)
Operation temperature	5 ~ 40 °C
Certification	FCC, CE, ROHS

## System Requirements for PC:

Pentium III or above CPU

352x288 video capture: Pentium III 800 MHz or above CPU

640x480 video capture: Pentium III 1GHz or above CPU

MPEG-4 video capture: Pentium III 800 MHz or above CPU

128 MB RAM

16 MB Display card

## System Requirements

- Operating Systems: Windows 2000, XP, Vista & 7
- Available USB port



## Package Contents

- Webcam and Stand
- User Manual in paper
- CD-ROM

*※ The specifications and picture are subject to change without prior notice! Please refer to the directions in product package*